

# HEIGHT PALLET CONTROL



AVOID ANY RISK DUE TO PALLETS VARIABILITY WITH OUR SMART HEIGHT LEVEL CONTROL SENSOR.

## Applicability

Available for Pal IEU, Pal Evoflex, Pal MS


IAA	IAB	IAC	IAD	IAE	IAF	IBB	IBC	IBF	IBG	IBH	IBI	IBL	IBP	IBR	IBS	IBT	IBU	ICP
IDB	IDC	IDD	IDH	IDL	IDP	IDR	IDS	IDU	IDV	IEC	IES	IEU	IEV	IFC	IFS	IFU	IGC	IGU
DIGIPAL	PP4200	PP4300	PP4350	PP4600	PP4700	PP4750	PP4900	PP5100	PP3300	PalAccess								
PV1000	DPF2500	PV200	PV410	ROBOACCESS	COBOACCESS	DPV410	EMBOX PAL	TI	TPA	MANUT PAL								

Subject to detailed feasibility study for your own equipment  
Contact your Service Account Manager for additional info

## Your advantages


### Product Quality

- Avoid any risk of contact between machine head and pallet in process.
- Measurement shown in real time.
- By the automatic function "Pallet height OK", the operator can make the new height effective.
- Simple and non-invasive installation



## Technical description

The system, allows to accurately measure the height of the pallet to be processed in the machine. This avoids the problems associated with the frequent differences between one pallet and another one, avoids accidental impacts of the machine head during deposit phase and ensure further control on the raw materials.



## Our guarantees

- Parts: 12 months
- Compliance with regulatory standards in force
- Constant support ensured
- Preserve the integrity of the machine
- Efficient After-sales service, spare parts, technical assistance
- Installation by skilled personnel

## Conversion/delivery time & misc

- Level of complexity: EASY
- Downtime (days): 1-2
- Delivery time (weeks): 10-12
- Need for training: N

Performance  
through  
Understanding

