

NEW ACCUMULATION CONVEYOR



CONVEYOR WITH HIGH RESISTANCE CHAIN FOR LOWER ACCUMULATION PRESSURE AND A GREATER FUNCTIONAL RELIABILITY.

Applicability

Available on our models PAL, PAL VACUUM, PAL CURTAIN.

See serial numbers below in green for applicable models

IAA	IAB	IAC	IAD	IAE	IAF	IBB	IBC	IBF	IBG	IBH	IBI	IBL	IBP	IBR	IBS	IBT	IBU	ICP
IDB	IDC	IDD	IDH	IDL	IDP	IDR	IDS	IDU	IDV	IEC	IES	IEU	IEV	IFC	IFS	IFU	IGC	IBN

Subject to detailed feasibility study for your own equipment
Contact your Service Account Manager for additional info

Your advantages

Maintenance

- Maintenance of conveyor extremely reduced and simplified.
- Higher resistance chain.

Product Quality

- Suitable for products with irregular or petaloid base.
- Greater functional reliability. System less sensible to packs quality and false stops.
- Minimal friction and less pressure.
- Dosing guides will now be let loose avoid any risk of un-synchronized packs inlet.

Efficiency

- Faster and repeatable guides adjustment (hand wheel system as standard or automatic as optional)

BEFORE




AFTER



Technical description

The previous roller configuration is replaced with a modular/higher resistant/clutch-operated chain, which allows lower product pressure and better feeding for the dosing belt.

Inlet pack control is now moved from dosing belt into the accumulation conveyor. Safety "turned-pack" photocells are installed into the accumulation conveyor.



Our guarantees

- Parts: 12 months
- Compliance with regulatory standards in force
- Constant support ensured
- Preserve the integrity of the machine
- Efficient After-sales service, spare parts, technical assistance
- Installation by skilled personnel

Conversion/delivery time & misc

- Level of complexity: MEDIUM
- Downtime (days): 5
- Delivery time (weeks): 7
- Need for training: N

Performance
Understanding

